

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:sssptal617mxb

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Dec 17 The CA Lexicon available in the CAPLUS and CA files
NEWS 3 Feb 06 Engineering Information Encompass files have new names
NEWS 4 Feb 16 TOXLINE no longer being updated
NEWS 5 Apr 23 Search Derwent WPINDEX by chemical structure
NEWS 6 Apr 23 PRE-1967 REFERENCES NOW SEARCHABLE IN CAPLUS AND CA
NEWS 7 May 07 DGENE Reload
NEWS 8 Jun 20 Published patent applications (A1) are now in USPATFULL

NEWS EXPRESS May 23 CURRENT WINDOWS VERSION IS V6.0a,
CURRENT MACINTOSH VERSION IS V5.0C (ENG) AND V5.0JB (JP),
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2001

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:47:39 ON 29 JUN 2001

=> file registry

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.15	0.15

FILE 'REGISTRY' ENTERED AT 17:47:44 ON 29 JUN 2001

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2001 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 28 JUN 2001 HIGHEST RN 343921-18-6

DICTIONARY FILE UPDATES: 28 JUN 2001 HIGHEST RN 343921-18-6

TSCA INFORMATION NOW CURRENT THROUGH January 11, 2001

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT for details.

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=> screen 1015

L1 SCREEN CREATED

=>

Uploading c:\stnexp4\queries\sulfone.str

L2 STRUCTURE UPLOADED

=> que L2 AND L1


L3 QUE L2 AND L1

=> d 13

L3 HAS NO ANSWERS

L1 SCR 1015

L2 STR



Structure attributes must be viewed using STN Express query preparation.

L3 QUE ABB=ON PLU=ON L2 AND L1

=> s 13

SAMPLE SEARCH INITIATED 17:48:16 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 4 TO ITERATE

100.0% PROCESSED 4 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 4 TO 200
PROJECTED ANSWERS: 0 TO 0

L4 0 SEA SSS SAM L2 AND L1

=> s 13 exa

SAMPLE SEARCH INITIATED 17:48:24 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 4 TO ITERATE

100.0% PROCESSED 4 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**
PROJECTED ITERATIONS: 4 TO 200
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA EXA SAM L2 AND L1

=> s 13 full

FULL SEARCH INITIATED 17:48:31 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 61 TO ITERATE

100.0% PROCESSED 61 ITERATIONS
SEARCH TIME: 00.00.01

0 ANSWERS

L6 0 SEA SSS FUL L2 AND L1